SPECIFICATION DATA SHEET

NI-2098

Standard/Nonasbestos Cylinder Head Facing Material F729990E52M2

Description

NI-2098 is a heavy-duty cylinder head facing material that is used with both solid and perforated metal cores. It is a non-asbestos material with nitrile butadiene rubber binder, and is compatible with most polymers used in bead printing processes.

Specification Properties

Property	<u>Value</u>	Method
Density, g/cc(lb/cu.ft)	1.19 (74) (min.)	ASTM F 1315
Compressibility, % (at 34.5MPa)	15 - 30	ASTM F 36
Recovery, %	20 (min.)	ASTM F 36
Tensile Strength, AMD, MPa(psi)	1.72 (250) (min.)	ASTM F 152
Weight Loss on Ignition, % (at 815°C)	30 (max.)	ASTM F 495
Fluid Resistance, IRM903 Oil		ASTM F 146
Change in Thickness, %	20 (max.)	
Change in Weight, %	55 (max.)	
Fluid Resistance, Fuel B		ASTM F 146
Change in Thickness, %	10 (max.)	
Change in Weight, %	40 (max.)	
Fluid Resistance, Glycol/Water 50/50		ASTM F 146
Change in Thickness, %	20 (max.)	
Change in Weight, %	75 (max.)	
Binder Type	Nitrile Butadiene	

Remarks and Related Documents

Specification values determined by the test methods required for ASTM F-104, Type 7 materials.

Interface Performance Materials®, EnCore®, Hydro-Fused®, MicroPore®, Pro-Formance®, Select-a-Seal®, Syntheseal®, Thermo-Tork®, and Voltoid® are registered trademarks of Lydall Performance Materials (US), Inc.

WARNING: The description and performance data provided herein constitute a material specification for quality control purposes, but do not imply suitability for use in a specific application. Your specific application should not be undertaken without independent study and evaluation for suitability. Failure to select proper sealing products may result in either property damage or personal injury. For specific application recommendations, contact Lydall Performance Materials (US), Inc. (LPM). LPM EXPRESSLY DISCLAIMS ALL WARRANTIES EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL LPM BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THE INFORMATION CONTAINED IN ITS SPECIFICATION DATA SHEETS, ITS PRODUCTS OR THEIR FUTURE USE BY YOU OR ANY THIRD PARTIES, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

For more information, please visit www.lnterfaceMaterials.com or contact

TECHNICAL CENTER

Lydall Performance Materials (US), Inc. 215 Wohlsen Way Lancaster, PA 17603 USA AE@InterfaceMaterials.com +1.717.207.6000

NORTH AMERICAN SALES OFFICE Lydall Performance Materials (US), Inc. 22260 Haggerty Road, Suite 200 Northville, MI 48167 USA

+1.248.596.2880

ASIA PACIFIC

Interface Sealing Solutions Shanghai Co., LTD Unit 14F, No. 728 Yan An Road West, Changning District Shanghai 200050 China +8621.5238.5650

INDIA

Lydall Performance Materials India LLP Mandkola Road, Vill. Atta, Sohna, Distt: Mewat, Nuh-122103 (Haryana) +91 8930992166

GERMANY

Lydall Performance Materials Altenkirchen GmbH Koblenzer Straße 57610 Altenkirchen Germany +49 26818002-0

EUROPE

Lydall Performance Materials Europe Maison Lili Pean 64240 Bonloc France +33 (0) 5.59.29.12.20

